

Journal articles

1. Fourmann, O.; Hausmann, M. K.; Neels, A.; Schubert, M.; Nyström, G.; **Zimmermann, T.**; Siqueira, G. 3D printing of shape-morphing and antibacterial anisotropic nanocellulose hydrogels. *Carbohydr. Polym.* **2021**, 259, 117716 (11 pp.). <https://doi.org/10.1016/j.carbpol.2021.117716>
2. Hausmann, M. K.; Hauser, A.; Siqueira, G.; Libanori, R.; Vehusheia, S. L.; Schuerle, S.; **Zimmermann, T.**; Studart, A. R. Cellulose-based microparticles for magnetically controlled optical modulation and sensing. *Small* **2020**, 16 (1), 1904251 (8 pp.). <https://doi.org/10.1002/smll.201904251>
3. Hausmann, M. K.; Siqueira, G.; Libanori, R.; Kokkinis, D.; Neels, A.; **Zimmermann, T.**; Studart, A. R. Complex-shaped cellulose composites made by wet densification of 3D printed scaffolds. *Adv. Funct. Mater.* **2020**, 30 (4), 1904127 (11 pp.). <https://doi.org/10.1002/adfm.201904127>
4. Müller, L. A. E.; **Zimmermann, T.**; Nyström, G.; Burgert, I.; Siqueira, G. Mechanical properties tailoring of 3D printed photoresponsive nanocellulose composites. *Adv. Funct. Mater.* **2020**, 30 (35), 2002914 (9 pp.). <https://doi.org/10.1002/adfm.202002914>
5. Antonini, C.; Wu, T.; **Zimmermann, T.**; Kherbeche, A.; Thoraval, M. J.; Nyström, G.; Geiger, T. Ultra-porous nanocellulose foams: a facile and scalable fabrication approach. *Nanomaterials* **2019**, 9 (8), 1142 (14 pp.). <https://doi.org/10.3390/nano9081142>
6. Kim, T.; Bao, C.; Hausmann, M.; Siqueira, G.; **Zimmermann, T.**; Kim, W. S. 3D printed disposable wireless ion sensors with biocompatible cellulose composites. *Adv. Electron. Mater.* **2019**, 5 (2), 1800778 (7 pp.). <https://doi.org/10.1002/aelm.201800778>
7. Desseaux, S.; dos Santos, S.; Geiger, T.; Tingaut, P.; **Zimmermann, T.**; Partl, M. N.; Poulikakos, L. D. Improved mechanical properties of bitumen modified with acetylated cellulose fibers. *Composites B* **2018**, 140, 139-144. <https://doi.org/10.1016/j.compositesb.2017.12.010>
8. Hausmann, M. K.; Rühls, P. A.; Siqueira, G.; Läger, J.; Libanori, R.; **Zimmermann, T.**; Studart, A. R. Dynamics of cellulose nanocrystal alignment during 3D printing. *ACS Nano* **2018**, 12 (7), 6926-6937. <https://doi.org/10.1021/acsnano.8b02366>
9. Orsolini, P.; Antonini, C.; Stojanovic, A.; Malfait, W. J.; Caseri, W. R.; **Zimmermann, T.** Superhydrophobicity of nanofibrillated cellulose materials through polysiloxane nanofilaments. *Cellulose* **2018**, 25 (2), 1127-1146. <https://doi.org/10.1007/s10570-017-1636-8>
10. Sehaqui, H.; Spera, P.; Huch, A.; **Zimmermann, T.** Nanoparticles capture on cellulose nanofiber depth filters. *Carbohydr. Polym.* **2018**, 201, 482-489. <https://doi.org/10.1016/j.carbpol.2018.07.068>
11. Weishaupt, R.; Heuberger, L.; Siqueira, G.; Gutt, B.; **Zimmermann, T.**; Maniura-Weber, K.; Salentinig, S.; Faccio, G. Enhanced antimicrobial activity and structural transitions of a nanofibrillated cellulose-nisin biocomposite suspension. *ACS Appl. Mater. Interfaces* **2018**, 10 (23), 20170-20181. <https://doi.org/10.1021/acsmi.8b04470>
12. Buffiere, J.; Balogh-Michels, Z.; Borrega, M.; Geiger, T.; **Zimmermann, T.**; Sixta, H. The chemical-free production of nanocelluloses from microcrystalline cellulose and their use as Pickering emulsion stabilizer. *Carbohydr. Polym.* **2017**, 178, 48-56. <https://doi.org/10.1016/j.carbpol.2017.09.028>
13. Josset, S.; Hansen, L.; Orsolini, P.; Griffa, M.; Kuzior, O.; Weisse, B.; **Zimmermann, T.**; Geiger, T. Microfibrillated cellulose foams obtained by a straightforward freeze-thawing-drying procedure. *Cellulose* **2017**, 24 (9), 3825-3842. <https://doi.org/10.1007/s10570-017-1377-8>
14. Sehaqui, H.; Kulasinski, K.; Pfenninger, N.; **Zimmermann, T.**; Tingaut, P. Highly carboxylated cellulose nanofibers via succinic anhydride esterification of wheat fibers and facile mechanical disintegration. *Biomacromolecules* **2017**, 18 (1), 242-248. <https://doi.org/10.1021/acs.biomac.6b01548>
15. Sehaqui, H.; Schaufelberger, L.; Michen, B.; **Zimmermann, T.** Humic acid desorption from a positively charged nanocellulose surface. *J. Colloid Interface Sci.* **2017**, 504, 500-506. <https://doi.org/10.1016/j.jcis.2017.06.006>
16. Siqueira, G.; Kokkinis, D.; Libanori, R.; Hausmann, M. K.; Gladman, A. S.; Neels, A.; Tingaut, P.;

- Zimmermann, T.**; Lewis, J. A.; Studart, A. R. Cellulose nanocrystal inks for 3D printing of textured cellular architectures. *Adv. Funct. Mater.* **2017**, 27 (12), 1604619 (10 pp.).
<https://doi.org/10.1002/adfm.201604619>
17. Sultan, S.; Siqueira, G.; **Zimmermann, T.**; Mathew, A. P. 3D printing of nano-cellulosic biomaterials for medical applications. *Curr. Opin. Biomed. Eng.* **2017**, 2, 29-34.
<https://doi.org/10.1016/j.cobme.2017.06.002>
 18. Veigel, S.; Lems, E. M.; Gröll, G.; Hansmann, C.; Rosenau, T.; **Zimmermann, T.**; Gindl-Altmatter, W. Simple green route to performance improvement of fully bio-based linseed oil coating using nanofibrillated cellulose. *Polymers* **2017**, 9 (9), 425 (13 pp.). <https://doi.org/10.3390/polym9090425>
 19. Weishaupt, R.; Siqueira, G.; Schubert, M.; Kämpf, M. M.; **Zimmermann, T.**; Maniura-Weber, K.; Faccio, G. A protein-nanocellulose paper for sensing copper ions at the nano- to micromolar level. *Adv. Funct. Mater.* **2017**, 27 (4), 1604291 (10 pp.). <https://doi.org/10.1002/adfm.201604291>
 20. Winter, A.; Andorfer, L.; Herzele, S.; **Zimmermann, T.**; Saake, B.; Edler, M.; Griesser, T.; Konnerth, J.; Gindl-Altmatter, W. Reduced polarity and improved dispersion of microfibrillated cellulose in poly(lactic-acid) provided by residual lignin and hemicellulose. *J. Mater. Sci.* **2017**, 52 (1), 60-72.
<https://doi.org/10.1007/s10853-016-0439-x>
 21. Štefelová, J.; Slovák, V.; Siqueira, G.; Olsson, R. T.; Tingaut, P.; **Zimmermann, T.**; Sehaqui, H. Drying and pyrolysis of cellulose nanofibers from wood, bacteria, and algae for char application in oil absorption and dye adsorption. *ACS Sustain. Chem. Eng.* **2017**, 5 (3), 2679-2692.
<https://doi.org/10.1021/acssuschemeng.6b03027>
 22. Bandera, D.; Meyer, V. R.; Prevost, D.; **Zimmermann, T.**; Boesel, L. F. Polylactide/montmorillonite hybrid latex as a barrier coating for paper applications. *Polymers* **2016**, 8 (3), 75 (9 pp.).
<https://doi.org/10.3390/polym8030075>
 23. Fortea-Verdejo, M.; Lee, K. Y.; **Zimmermann, T.**; Bismarck, A. Upgrading flax nonwovens: nanocellulose as binder to produce rigid and robust flax fibre preforms. *Composites A* **2016**, 83, 63-71.
<https://doi.org/10.1016/j.compositesa.2015.11.021>
 24. Grüneberger, F.; Huch, A.; Geiger, T.; **Zimmermann, T.**; Tingaut, P. Fibrillated cellulose in heterophase polymerization of nanoscale poly(methyl methacrylate) spheres. *Colloid Polym. Sci.* **2016**, 294 (9), 1393-1403. <https://doi.org/10.1007/s00396-016-3899-2>
 25. Herzele, S.; Veigel, S.; Liebner, F.; **Zimmermann, T.**; Gindl-Altmatter, W. Reinforcement of polycaprolactone with microfibrillated lignocellulose. *Ind. Crops Prod.* **2016**, 93, 302-308.
<https://doi.org/10.1016/j.indcrop.2015.12.051>
 26. Mautner, A.; Maples, H. A.; Sehaqui, H.; **Zimmermann, T.**; Perez de Larraya, U.; Mathew, A. P.; Lai, C. Y.; Li, K.; Bismarck, A. Nitrate removal from water using a nanopaper ion-exchanger. *Environ. Sci. Water Res. Technol.* **2016**, 2 (1), 117-124. <https://doi.org/10.1039/c5ew00139k>
 27. Nindiyasari, F.; Griesshaber, E.; **Zimmermann, T.**; Manian, A. P.; Randow, C.; Zehbe, R.; Fernandez-Diaz, L.; Ziegler, A.; Fleck, C.; Schmahl, W. W. Characterization and mechanical properties investigation of the cellulose/gypsum composite. *J. Compos. Mater.* **2016**, 50 (5), 657-672.
<https://doi.org/10.1177/0021998315580826>
 28. Orsolini, P.; D'Alvise, T. M.; Boi, C.; Geiger, T.; Caseri, W. R.; **Zimmermann, T.** Nanofibrillated cellulose templated membranes with high permeance. *ACS Appl. Mater. Interfaces* **2016**, 8 (49), 33943-33954.
<https://doi.org/10.1021/acsmi.6b12107>
 29. Schwiedrzik, J.; Raghavan, R.; Rüggeberg, M.; Hansen, S.; Wehrs, J.; Adusumalli, R. B.; **Zimmermann, T.**; Michler, J. Identification of polymer matrix yield stress in the wood cell wall based on micropillar compression and micromechanical modelling. *Philos. Mag.* **2016**, 96 (32-34), 3461-3478.
<https://doi.org/10.1080/14786435.2016.1235292>
 30. Sedighi Gilani, M.; Zhao, S.; Gaan, S.; Koebel, M. M.; **Zimmermann, T.** Design of a hierarchically structured hybrid material *via in situ* assembly of a silica aerogel into a wood cellular structure. *RSC Adv.* **2016**, 6 (67), 62825-62832. <https://doi.org/10.1039/C6RA12480A>
 31. Sedighi Gilani, M.; Boone, M. N.; Fife, J. L.; Zhao, S.; Koebel, M. M.; **Zimmermann, T.**; Tingaut, P.

- Structure of cellulose-silica hybrid aerogel at sub-micron scale, studied by synchrotron X-ray tomographic microscopy. *Compos. Sci. Technol.* **2016**, 124, 71-80.
<https://doi.org/10.1016/j.compscitech.2016.01.013>
32. Sehaqui, H.; Mautner, A.; Perez de Larray, U.; Pfenninger, N.; Tingaut, P.; **Zimmermann, T.** Cationic cellulose nanofibers from waste pulp residues and their nitrate, fluoride, sulphate and phosphate adsorption properties. *Carbohydr. Polym.* **2016**, 135, 334-340.
<https://doi.org/10.1016/j.carbpol.2015.08.091>
 33. Sehaqui, H.; Michen, B.; Marty, E.; Schaufelberger, L.; **Zimmermann, T.** Functional cellulose nanofiber filters with enhanced flux for the removal of humic acid by adsorption. *ACS Sustain. Chem. Eng.* **2016**, 4 (9), 4582-4590. <https://doi.org/10.1021/acssuschemeng.6b00698>
 34. Yan, Y.; Amer, H.; Rosenau, T.; Zollfrank, C.; Dörrstein, J.; Jobst, C.; **Zimmermann, T.**; Keckes, J.; Veigel, S.; Gindl-Altmutter, W.; et al. Dry, hydrophobic microfibrillated cellulose powder obtained in a simple procedure using alkyl ketene dimer. *Cellulose* **2016**, 23 (2), 1189-1197.
<https://doi.org/10.1007/s10570-016-0887-0>
 35. Zoppe, J. O.; Xu, X.; Känel, C.; Orsolini, P.; Siqueira, G.; Tingaut, P.; **Zimmermann, T.**; Klok, H. A. Effect of surface charge on surface-initiated atom transfer radical polymerization from cellulose nanocrystals in aqueous media. *Biomacromolecules* **2016**, 17 (4), 1404-1413.
<https://doi.org/10.1021/acs.biomac.6b00011>
 36. Grüneberger, F.; Künniger, T.; Huch, A.; **Zimmermann, T.**; Arnold, M. Nanofibrillated cellulose in wood coatings: dispersion and stabilization of ZnO as UV absorber. *Prog. Org. Coat.* **2015**, 87, 112-121.
<https://doi.org/10.1016/j.porgcoat.2015.05.025>
 37. Ho, T. T. T.; Abe, K.; **Zimmermann, T.**; Yano, H. Nanofibrillation of pulp fibers by twin-screw extrusion. *Cellulose* **2015**, 22 (1), 421-433. <https://doi.org/10.1007/s10570-014-0518-6>
 38. Mueller, S.; Sapkota, J.; Nicharat, A.; **Zimmermann, T.**; Tingaut, P.; Weder, C.; Foster, E. J. Influence of the nanofiber dimensions on the properties of nanocellulose/poly(vinyl alcohol) aerogels. *J. Appl. Polym. Sci.* **2015**, 132 (13), 41740 (13 pp.). <https://doi.org/10.1002/app.41740>
 39. Orsolini, P.; Michen, B.; Huch, A.; Tingaut, P.; Caseri, W. R.; **Zimmermann, T.** Characterization of pores in dense nanopapers and nanofibrillated cellulose membranes: a critical assessment of established methods. *ACS Appl. Mater. Interfaces* **2015**, 7 (46), 25884-25897.
<https://doi.org/10.1021/acsami.5b08308>
 40. Sehaqui, H.; Gálvez, M. E.; Becatinni, V.; Ng, Y. cheng; Steinfeld, A.; **Zimmermann, T.**; Tingaut, P. Fast and reversible direct CO₂ capture from air onto all-polymer nanofibrillated cellulose—polyethylenimine foams. *Environ. Sci. Technol.* **2015**, 49 (5), 3167-3174.
<https://doi.org/10.1021/es504396v>
 41. Sehaqui, H.; Perez de Larraya, U.; Tingaut, P.; **Zimmermann, T.** Humic acid adsorption onto cationic cellulose nanofibers for bioinspired removal of copper(II) and a positively charged dye. *Soft Matter* **2015**, 11 (26), 5294-5300. <https://doi.org/10.1039/C5SM00566C>
 42. Weishaupt, R.; Siqueira, G.; Schubert, M.; Tingaut, P.; Maniura-Weber, K.; **Zimmermann, T.**; Thöny-Meyer, L.; Faccio, G.; Ihssen, J. TEMPO-oxidized nanofibrillated cellulose as a high density carrier for bioactive molecules. *Biomacromolecules* **2015**, 16 (11), 3640-3650.
<https://doi.org/10.1021/acs.biomac.5b01100>
 43. Zhang, Z.; Tingaut, P.; Rentsch, D.; **Zimmermann, T.**; Sèbe, G. Controlled silylation of nanofibrillated cellulose in water: reinforcement of a model polydimethylsiloxane network. *ChemSusChem* **2015**, 8 (16), 2681-2690. <https://doi.org/10.1002/cssc.201500525>
 44. **Zimmermann, T.**; Sehaqui, H.; Tingaut, P. Functional materials from cellulose nanofibers. *Chimia* **2015**, 69 (4), 232. <https://doi.org/10.2533/chimia.2015.232>
 45. Bandera, D.; Sapkota, J.; Josset, S.; Weder, C.; Tingaut, P.; Gao, X.; Foster, E. J.; **Zimmermann, T.** Influence of mechanical treatments on the properties of cellulose nanofibers isolated from microcrystalline cellulose. *React. Funct. Polym.* **2014**, 85, 134-141.
<https://doi.org/10.1016/j.reactfunctpolym.2014.09.009>

46. Gebald, C.; Wurzbacher, J. A.; Borgschulte, A.; **Zimmermann, T.**; Steinfeld, A. Single-component and binary CO₂ and H₂O adsorption of amine-functionalized cellulose. *Environ. Sci. Technol.* **2014**, *48* (4), 2497-2504. <https://doi.org/10.1021/es404430g>
47. Grüneberger, F.; Künniger, T.; **Zimmermann, T.**; Arnold, M. Nanofibrillated cellulose in wood coatings: mechanical properties of free composite films. *J. Mater. Sci.* **2014**, *49* (18), 6437-6448. <https://doi.org/10.1007/s10853-014-8373-2>
48. Grüneberger, F.; Künniger, T.; **Zimmermann, T.**; Arnold, M. Rheology of nanofibrillated cellulose/acrylate systems for coating applications. *Cellulose* **2014**, *21* (3), 1313-1326. <https://doi.org/10.1007/s10570-014-0248-9>
49. Josset, S.; Orsolini, P.; Siqueira, G.; Tejado, A.; Tingaut, P.; **Zimmermann, T.** Energy consumption of the nanofibrillation of bleached pulp, wheat straw and recycled newspaper through a grinding process. *Nord. Pulp Pap. Res. J.* **2014**, *29* (1), 167-175. <https://doi.org/10.3183/NPPRJ-2014-29-01-p167-175>
50. Sehaqui, H.; Perez de Larraya, U.; Liu, P.; Pfenninger, N.; Mathew, A. P.; **Zimmermann, T.**; Tingaut, P. Enhancing adsorption of heavy metal ions onto biobased nanofibers from waste pulp residues for application in wastewater treatment. *Cellulose* **2014**, *21* (4), 2831-2844. <https://doi.org/10.1007/s10570-014-0310-7>
51. Sehaqui, H.; **Zimmermann, T.**; Tingaut, P. Hydrophobic cellulose nanopaper through a mild esterification procedure. *Cellulose* **2014**, *21* (1), 367-382. <https://doi.org/10.1007/s10570-013-0110-5>
52. Zhang, Z.; Sèbe, G.; Rentsch, D.; **Zimmermann, T.**; Tingaut, P. Ultralightweight and flexible silylated nanocellulose sponges for the selective removal of oil from water. *Chem. Mater.* **2014**, *26* (8), 2659-2668. <https://doi.org/10.1021/cm5004164>
53. Ho, T. T. T.; **Zimmermann, T.**; Caseri, W. R.; Smith, P. Liquid ammonia treatment of (cationic) nanofibrillated cellulose/vermiculite composites. *J. Polym. Sci. B* **2013**, *51* (8), 638-648. <https://doi.org/10.1002/polb.23241>
54. Sehaqui, H.; Kochumalayil, J.; Liu, A.; **Zimmermann, T.**; Berglund, L. A. Multifunctional nanoclay hybrids of high toughness, thermal, and barrier performances. *ACS Appl. Mater. Interfaces* **2013**, *5* (15), 7613-7620. <https://doi.org/10.1021/am401928d>
55. Eyholzer, C.; Tingaut, P.; **Zimmermann, T.**; Oksman, K. Dispersion and reinforcing potential of carboxymethylated nanofibrillated cellulose powders modified with 1-hexanol in extruded poly(Lactic Acid) (PLA) composites. *J. Polym. Environ.* **2012**, *20* (4), 1052-1062. <https://doi.org/10.1007/s10924-012-0508-4>
56. Fortunato, G.; **Zimmermann, T.**; Lübben, J.; Bordeanu, N.; Hufenus, R. Reinforcement of polymeric submicrometer-sized fibers by microfibrillated cellulose. *Macromol. Mater. Eng.* **2012**, *297* (6), 576-584. <https://doi.org/10.1002/mame.201100408>
57. Ho, T. T. T.; **Zimmermann, T.**; Ohr, S.; Caseri, W. R. Composites of cationic nanofibrillated cellulose and layered silicates: water vapor barrier and mechanical properties. *ACS Appl. Mater. Interfaces* **2012**, *4* (9), 4832-4840. <https://doi.org/10.1021/am3011737>
58. Ho, T. T. T.; Ko, Y. S.; **Zimmermann, T.**; Geiger, T.; Caseri, W. Processing and characterization of nanofibrillated cellulose/layered silicate systems. *J. Mater. Sci.* **2012**, *47* (10), 4370-4382. <https://doi.org/10.1007/s10853-012-6291-8>
59. Raghavan, R.; Adusumalli, R. B.; Buerki, G.; Hansen, S.; **Zimmermann, T.**; Michler, J. Deformation of the compound middle lamella in spruce latewood by micro-pillar compression of double cell walls. *J. Mater. Sci.* **2012**, *47* (16), 6125-6130. <https://doi.org/10.1007/s10853-012-6531-y>
60. Tingaut, P.; **Zimmermann, T.**; Sèbe, G. Cellulose nanocrystals and microfibrillated cellulose as building blocks for the design of hierarchical functional materials. *J. Mater. Chem.* **2012**, *22* (38), 20105-20111. <https://doi.org/10.1039/c2jm32956e>
61. Boissard, C. I. R.; Bourban, P. E.; Tingaut, P.; **Zimmermann, T.**; Månson, J. A. E. Water of functionalized microfibrillated cellulose as foaming agent for the elaboration of poly(lactic acid) biocomposites. *J. Reinf. Plast. Compos.* **2011**, *30* (8), 709-719. <https://doi.org/10.1177/0731684411407233>
62. Borges, A. C.; Eyholzer, C.; Duc, F.; Bourban, P. E.; Tingaut, P.; **Zimmermann, T.**; Pioletti, D. P.; Månson,

- J. A. E. Nanofibrillated cellulose composite hydrogel for the replacement of the nucleus pulposus. *Acta Biomater.* **2011**, 7 (9), 3412-3421. <https://doi.org/10.1016/j.actbio.2011.05.029>
63. Eyholzer, C.; Borges de Couraça, A.; Duc, F.; Bourban, P. E.; Tingaut, P.; **Zimmermann, T.**; Månson, J. A. E.; Oksman, K. Biocomposite hydrogels with carboxymethylated, nanofibrillated cellulose powder for replacement of the nucleus pulposus. *Biomacromolecules* **2011**, 12 (5), 1419-1427. <https://doi.org/10.1021/bm101131b>
 64. Gebald, C.; Wurzbacher, J. A.; Tingaut, P.; **Zimmermann, T.**; Steinfeld, A. Amine-based nanofibrillated cellulose as adsorbent for CO₂ capture from air. *Environ. Sci. Technol.* **2011**, 45 (20), 9101-9108. <https://doi.org/10.1021/es202223p>
 65. Ho, T. T. T.; **Zimmermann, T.**; Hauert, R.; Caseri, W. Preparation and characterization of cationic nanofibrillated cellulose from etherification and high-shear disintegration processes. *Cellulose* **2011**, 18 (6), 1391-1406. <https://doi.org/10.1007/s10570-011-9591-2>
 66. Hrabalova, M.; Schwanninger, M.; Wimmer, R.; Gregorova, A.; **Zimmermann, T.**; Mundigler, N. Fibrillation of flax and wheat straw cellulose: effects on thermal, morphological, and viscoelastic properties of poly(vinylalcohol)/fibre composites. *BioResources* **2011**, 6 (2), 1631-1647. <https://bioresources.cnr.ncsu.edu/resources/fibrillation-of-flax-and-wheat-straw-cellulose-effects-on-thermal-morphological-and-viscoelastic-properties-of-polyvinylalcoholfibre-composites/>
 67. Tingaut, P.; Hauert, R.; **Zimmermann, T.** Highly efficient and straightforward functionalization of cellulose films with thiol-ene click chemistry. *J. Mater. Chem.* **2011**, 21 (40), 16066-16076. <https://doi.org/10.1039/c1jm11620g>
 68. Adusumalli, R. B.; Raghavan, R.; Schwaller, P.; **Zimmermann, T.**; Michler, J. *In situ* SEM micro-indentation of single wood pulp fibres in transverse direction. *J. Electron Microsc.* **2010**, 59 (5), 345-349. <https://doi.org/10.1093/jmicro/dfq025>
 69. Adusumalli, R. B.; Raghavan, R.; Ghisleni, R.; **Zimmermann, T.**; Michler, J. Deformation and failure mechanism of secondary cell wall in Spruce late wood. *Appl. Phys. A* **2010**, 100 (2), 447-452. <https://doi.org/10.1007/s00339-010-5847-1>
 70. Eyholzer, C.; Bordeanu, N.; Lopez-Suevos, F.; Rentsch, D.; **Zimmermann, T.**; Oksman, K. Preparation and characterization of water-redispersible nanofibrillated cellulose in powder form. *Cellulose* **2010**, 17 (1), 19-30. <https://doi.org/10.1007/s10570-009-9372-3>
 71. Eyholzer, C.; Lopez-Suevos, F.; Tingaut, P.; **Zimmermann, T.**; Oksman, K. Reinforcing effect of carboxymethylated nanofibrillated cellulose powder on hydroxypropyl cellulose. *Cellulose* **2010**, 17 (4), 793-802. <https://doi.org/10.1007/s10570-010-9423-9>
 72. Tingaut, P.; **Zimmermann, T.**; Lopez-Suevos, F. Synthesis and characterization of bionanocomposites with tunable properties from poly(lactic acid) and acetylated microfibrillated cellulose. *Biomacromolecules* **2010**, 11 (2), 454-464. <https://doi.org/10.1021/bm901186u>
 73. **Zimmermann, T.**; Bordeanu, N.; Strub, E. Properties of nanofibrillated cellulose from different raw materials and its reinforcement potential. *Carbohydr. Polym.* **2010**, 79 (4), 1086-1093. <https://doi.org/10.1016/j.carbpol.2009.10.045>
 74. **Zimmermann, T.**; Richter, K.; Bordeanu, N.; Sell, J. Arrangement of cell-wall constituents in chemically treated Norway spruce tracheids. *Wood Fiber Sci.* **2007**, 39 (2), 221-231. <https://wfs.swst.org/index.php/wfs/article/view/1257>
 75. **Zimmermann, T.**; Thommen, V.; Reimann, P.; Hug, H. J. Ultrastructural appearance of embedded and polished wood cell walls as revealed by Atomic Force Microscopy. *J. Struct. Biol.* **2006**, 156 (2), 363-369. <https://doi.org/10.1016/j.jsb.2006.06.007>
 76. Burgert, I.; Gierlinger, N.; **Zimmermann, T.** Properties of chemically and mechanically isolated fibres of spruce (*Picea abies* (L.) Karst.). Part 1: structural and chemical characterisation. *Holzforschung* **2005**, 59 (2), 240-246. <https://doi.org/10.1515/Hf.2005.038>
 77. **Zimmermann, T.**; Pöhler, E.; Schwaller, P. Mechanical and morphological properties of cellulose fibril reinforced nanocomposites. *Adv. Eng. Mater.* **2005**, 7 (12), 1156-1161. <https://doi.org/10.1002/adem.200500157>

78. **Zimmermann, T.**; Pöhler, E.; Geiger, T. Cellulose fibrils for polymer reinforcement. *Adv. Eng. Mater.* **2004**, 6 (9), 754-761. <https://doi.org/10.1002/adem.200400097>
79. Klingner, R.; Sell, J.; **Zimmermann, T.**; Herzog, A.; Vogt, U.; Graule, T.; Thurner, P.; Beckmann, F.; Müller, B. Wood-derived porous ceramics via infiltration of SiO₂-Sol and carbothermal reduction. *Holzforschung* **2003**, 57 (4), 440-446. <https://doi.org/10.1515/Hf.2003.065>
80. **Zimmermann, T.**; Sell, J. Field emission SEM studies on softwood tracheids and hardwood fibres - a review of activities at the EMPA wood laboratory. *Schweiz. Z. Forstwes.* **2003**, 154 (12), 510-515. <https://doi.org/10.3188/szf.2003.0510>
81. Creemers, J.; de Meijer, M.; **Zimmermann, T.**; Sell, J. Influence of climatic factors on the weathering of coated wood. *Euro. J. Wood Wood Prod.* **2002**, 60 (6), 411-420. <https://doi.org/10.1007/S00107-002-0338-5>
82. Vogt, U.; Herzog, A.; Graule, T.; Klingner, R.; **Zimmermann, T.** Porous ceramics derived from wood. *Key Eng. Mater.* **2002**, 206-213, 1941-1944. <https://doi.org/10.4028/www.scientific.net/KEM.206-213.1941>
83. Sell, J.; **Zimmermann, T.** The fine structure of the cell wall of hardwoods on transverse-fracture surfaces. *Euro. J. Wood Wood Prod.* **1998**, 56, 365-366. <https://doi.org/10.1007/s001070050334>
84. Singh, A. P.; Sell, J.; Schmitt, U.; **Zimmermann, T.**; Dawson, B. Radial striation of the S₂ layer in mild compression wood tracheids of *Pinus radiata*. *Holzforschung* **1998**, 52 (6), 563-566. <https://doi.org/10.1515/hfsg.1998.52.6.563>
85. **Zimmermann, T.**; Sell, J.; Eckstein, D. Rasterelektronenmikroskopische Untersuchungen an Zugbruchflächen von Fichtenholz. *Holz Roh. Werkst.* **1994**, 52 (4), 223-229. <https://doi.org/10.1007/BF02619097>

Book Chapters and Proceeding Papers

1. Grüneberger, F.; Künniger, T.; **Zimmermann, T.**; Arnold, M. Nanofibrillated cellulose as novel component in exterior wood coatings – a feasibility study. In PRA's 9th international woodcoatings congress "Beauty, protection, sustainability". Congress papers, presented at the PRA's 9th international woodcoatings congress "Beauty, protection, sustainability", Amsterdam, The Netherlands, October 14–15, 2014; PRA: Middlesex, UK, **2014**; p 23 (14 pp.).
2. Tingaut, P.; **Zimmermann, T.** Chemical functionalization as a powerful tool to broaden the scope of applications of cellulose nanofibers. In *Handbook of green materials. Processing technologies, properties and applications*. Vol. 1; Oksman, K., Mathew, A. P., Bismarck, A., Rojas, O., Sain, M., Eds.; Materials and Energy, Vol. 5; World Scientific: Singapore, **2014**; pp 123-138. https://doi.org/10.1142/9789814566469_0009
3. **Zimmermann, T.**; Ho, T. T. T.; Tingaut, P.; Caseri, W. Cellulose nanofibril/layered silicates composite films for barrier applications. In *Production and applications of cellulose nanomaterials*; Postek, M. T., Moon, R. J., Rudie, A. W., Bilodeau, M. A., Eds.; Tappi Press: Peachtree Corners, GA, **2013**; pp 245-246.
4. Tingaut, P.; Eyholzer, C.; **Zimmermann, T.** Functional polymer nanocomposite materials from microfibrillated cellulose. In *Advances in nanocomposite technology*; Hashim, A. A., Ed.; InTech: London, Rijeka, **2011**; pp 319-334. <https://doi.org/10.5772/20817>
5. Richter, K.; Bordeanu, N.; López-Suevos, F.; **Zimmermann, T.** Performance of cellulose nanofibrils in wood adhesives. In *Adhesive bonding. Structural design engineering and innovative bonding in practice*. Symposium proceedings, presented at the 22nd international symposium (Swiss Bonding 09), Rapperswil-Jona, Switzerland, May 11–13, 2009; Schindel-Bidinelli, E., Ed.; **2009**; pp 239-246.
6. **Zimmermann, T.** Cellulose fibrils in wood cell walls and their potential for technical applications. In *The plant cell wall - recent advances and new perspectives*. Proceedings of the 2nd New Zealand-German workshop on plant cell walls, Hamburg, 4 - 6 October 2006, presented at the 2nd New Zealand-German Workshop on Plant Cell Wall, Hamburg, Germany, October 4-6, 2006; Schmitt, U., Ed.; Mitteilungen der Bundesforschungsanstalt für Forst- und Holzwirtschaft; Wiedebusch: Hamburg,

2007; Vol. 223, pp 137-151.

7. **Zimmermann, T.**; Bordeanu, N.; Pöhler, E. Mechanical and morphological characterization of cellulose fibrils and their composites. In 9th international conference on wood & biofiber plastic composites, presented at the 9th international conference on wood & biofiber plastic composites, Madison, WI, USA, May 21-23, 2007; Forest Products Society: Madison, WI, **2007**; pp 19-25.
8. **Zimmermann, T.**; Pöhler, E.; Geiger, T.; Schleuniger, J.; Schwaller, P.; Richter, K. Cellulose fibrils: isolation, characterization, and capability for technical applications. In Cellulose Nanocomposites; Oksman, K., Sain, M., Eds.; ACS Symposium Series, Vol. 938; American Chemical Society: Washington, DC, **2006**; pp 33-47. <https://doi.org/10.1021/bk-2006-0938.ch004>
9. **Zimmermann, T.**; Sell, J. Field emission SEM studies on softwood tracheids and hardwood fibres - a review of activities at the EMPA Wood Laboratory. In Wood fibre cell walls. Methods to study their formation, structure and properties; Schmitt, U., Ander, P., Barnett, J. R., Emons, A. M. C., Jeronimidis, G., Eds.; Swedish University of Agricultural Sciences: Uppsala, **2004**; pp 175-186.
10. **Zimmermann, T.**; Pöhler, E.; Geiger, T. Cellulosefibrillen für die Polymerverstärkung. In 4th international symposium "Materials from Renewable Resources". MesseCongressCenter, Erfurt, Germany. 11-12 September 2003, presented at the 4th international symposium materials from renewable resources, Erfurt, Germany, September 11-12, 2003; Messe Erfurt: Erfurt, **2003**; pp 94-103.
11. **Zimmermann, T.** The fine structure of the cell wall of soft- and hardwoods. A review of activities at the EMPA-wood laboratory. In Wood research. Knowledge and concepts for future demands. A tribute to Prof Dr Jürgen Sell. Symposium proceedings, presented at the EMPA-symposium on wood research. Knowledge and concepts for future demands. A tribute to Prof Dr Jürgen Sell, Dübendorf, Switzerland, January 17, 2003; Empa research report; EMPA Wood Laboratory: Dübendorf, **2003**; pp 17-28.
12. Wood research. Knowledge and concepts for future demands. A tribute to Prof Dr Jürgen Sell. Symposium proceedings, EMPA-Symposium, Dübendorf, Switzerland, January 17, 2003; Richter, K., Steiger, R., Arnold, M., **Zimmermann, T.**, Eds.; Forschungs- und Arbeitsberichte der Empa-Abteilung Holz, Vol. 115/50; Empa: Dübendorf, Switzerland, **2003**; 248 p.
13. Herzog, A.; Vogt, U.; Graule, T.; Sell, J.; **Zimmermann, T.** Characterisation of the pore structure of biomorphic cellular silicon carbide by mercury porosimetry. In Ceramic materials and components for engines, presented at the 7th international conference ceramics materials and components for engines, Goslar, Germany, June 19-21, 2000; Heinrich, J. G., Aldinger, F., Eds.; Wiley-VCH: Weinheim, **2001**; pp 505-511. <https://doi.org/10.1002/9783527612765.ch86>
14. Klingner, R.; Herzog, A.; Vogt, U.; Graule, T.; **Zimmermann, T.** Holzabgeleitete hochporöse Keramiken - Darstellung über carbothermische Reduktion Sol-infiltrierter Template. In Verbundwerkstoffe und Werkstoffverbunde, presented at the Verbundwerkstoffe und Werkstoffverbunde, Chemnitz, September 5-7, 2001; Wielage, B., Leonhardt, G., Eds.; Wiley-VCH: Weinheim, **2001**; pp 448-453.
15. Sell, J.; **Zimmermann, T.**; Steiger, R.; Richter, K. Die Holzzellwand – eine tragende Verbundkonstruktion im Nanometerbereich. In Nachhaltige Material- und Systemtechnik. Festschrift zum 65. Geburtstag von Fritz Eggimann; Muster, W., Schläpfer, K., Eds.; EMPA: Dübendorf und St. Gallen, **2001**; pp 67-75.
16. Vogt, U.; Herzog, A.; Graule, T.; Klinger, R.; **Zimmermann, T.**; Paris, O. Wood derived SiC ceramics with oriented porous structures via carbothermal reduction. In High temperature ceramic matrix composites, presented at the 4th international conference on high temperature ceramic matrix composites (HT-CMC4), Munich, Oktober 1-3, 2001; Krenkel, W., Naslain, R., Schneider, H., Eds.; Wiley-VCH: Weinheim, **2001**; pp 420-426. <https://doi.org/10.1002/3527605622.ch67>
17. **Zimmermann, T.**; Sell, J. Comparison of the biomechanical properties of the fine structure of the cell wall of normal and reaction wood. In Plant biomechanics 2000. Proceedings of the 3rd plant biomechanics conference Freiburg-Badenweiler August 27th to September 2nd 2000, presented at the 3rd plant biomechanics conference, Freiburg-Badenweiler, August 27 - September 2, 2000; Spatz, H. C., Speck, T., Eds.; Thieme: Stuttgart, New York, **2000**; pp 186-192.
18. Sell, J.; **Zimmermann, T.** Holzforschung. Lernen von der Natur. In Neuer Holzbau im Bild. Dokumentation zu aktuellen Werken.; von Büren, C., Mooser, M. E., Villar, R., Eds.; Lignum, CEDOTEC: Zürich, Le Mont-sur-Lausanne, **1997**; pp 13-17.